


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



UNDER REVIEW




URF 19-1065 19.10.29 (VM)

ASSY QTY	ASSY #	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	Pg.
			-3	1	FRAME	6061	3 x 3-1/8 x 7	2
			-5	2	SIDE PLATE	6061	1/2 x 2 x 2-1/2	3
			-7	2	BLOCK	6061	1/2 x 3/4 x 7/8	4
			-9	2	BRACKET	304 S.S.	18 ga. x 1 x 1-1/8	5
			-11	2	CLIP	304 S.S.	18 ga. x 7/8 x 2-1/2	6
			-13	1	BOSS	304 S.S.	Ø1 x 1-1/4	7
		B/O	-15	1	THREADED ROD	STEEL	M10 x 1.5 x 30mm MCMaster-CARR #94595A425	1
		B/O	-17	2	EXTENSION SPRING	STEEL	Ø.300 x 1-7/16 x .037 WIRE DIA. MCMaster-CARR #9044K106	1
		B/O	-19	4	SOCKET HEAD CAP SCREW	S.S.	M6 x 1 x 20mm MCMaster-CARR #92290A326	1
		B/O	-21	2	SOCKET HEAD CAP SCREW	S.S.	M6 x 1 x 16mm MCMaster-CARR #92290A321	1
		B/O	-23	2	HEX HEAD CAP SCREW	STEEL	M4 x .7 x 14mm MCMaster-CARR #91280A135	1
		B/O	-25	2	FLAT WASHER	STEEL	M4 MCMaster-CARR #91100A130	1
	ASSY #							



RED BARN MACHINE	
TITLE JACK PADS	
DWG NO. RBEB071-P0001-207	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	DRAWN BY: CLOUGH APPROVED: <i>D Weil</i> HEAT TREAT FINISH SPEC
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 9-1-10
SHEET 1 of 7	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



(-3)
FRAME




UNDER REVIEW
URF 19-1065 19.10.29 (VM)

RED BARN MACHINE	
TITLE JACK PADS	
DWG NO. RBEB071-P0001-207-3	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	
FRACTIONS ± 1/32 ANGLES ± .5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 9-1-10
SHEET 2 of 7	
DRAWN BY: CLOUGH APPROVED: <i>D. Weil</i> HEAT TREAT: CLEAR ANODIZE SPEC: MIL-A-8625F, TYPE II, CLASS 1 USED ON MODEL: EC145	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



(-5)
SIDE PLATE


UNDER REVIEW

URF 19-1065 19.10.29 (VM)

RB RED BARN MACHINE	
TITLE JACK PADS	
DWG NO. RBEB071-P0001-207-5	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	
FRACTIONS ± 1/32 ANGLES ± 5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
DRAWN BY: CLOUGH APPROVED: <i>D Weil</i> HEAT TREAT FINISH CLEAR ANODIZE SPEC MIL-A-8625F, TYPE II, CLASS 1 USED ON MODEL EC145	
SCALE NTS	DATE 9-1-10
SHEET 3 of 7	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED




(-7)
BLOCK

UNDER REVIEW
URF 19-1065 19.10.29 (VM)

RB RED BARN MACHINE			
TITLE JACK PADS			
DWG NO. RBEB071-P0001-207-7		REV	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: CLOUGH	
TOLERANCES ON:		APPROVED <i>D Weil</i>	
DECIMALS		HEAT	
.XXX ± .005		TREAT	
.XX ± .01		FINISH CLEAR AND DIZE	
.X ± .1		SPEC MIL-A-8625F, TYPE II, CLASS 1	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL	
SCALE NTS		DATE 9-1-10	
DATE		SHEET 4 of 7	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



(-9)
BRACKET


UNDER REVIEW

URF 19-1065 19.10.29 (VM)

RB RED BARN MACHINE	
TITLE JACK PADS	
DWG NO. RBEB071-P0001-207-9	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
DECIMALS	FRACTIONS ± 1/32
.XXX ± .005	ANGLES ± .5°
.XX ± .01	
.X ± .1	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
DRAWN BY: CLOUGH	
APPROVED <i>D Weil</i>	
HEAT	
TREAT	
FINISH	
SPEC	
USED ON MODEL	
EC145	
SCALE NTS	DATE 9-1-10
SHEET 5 of 7	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



(-11)
CLIP


UNDER REVIEW

URF 19-1065 19.10.29 (VM)

RB RED BARN MACHINE	
TITLE JACK PADS	
DWG NO. RBE071-P0001-207-11	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
DECIMALS	
.XXX ± .005	FRACTIONS ± 1/32
.XX ± .01	ANGLES ± 5°
.X ± .1	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
DRAWN BY: CLOUGH	
APPROVED <i>D Weil</i>	
HEAT	
TREAT	
FINISH	
SPEC	
USED ON MODEL	
EC145	
SCALE NTS	DATE 9-1-10
SHEET 6 of 7	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



-13
BOSS

UNDER REVIEW

URF 19-1065 19.10.29 (VM)

RB RED BARN MACHINE			
TITLE JACK PADS			
DWG NO. RBEB071-P0001-207-13			REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: CLOUGH	
TOLERANCES ON:		APPROVED <i>D Weil</i>	
DECIMALS		HEAT	
.XXX ± .005		TREAT	
.XX ± .01		FINISH	
.X ± .1		SPEC	
ANGLES ± .5°		USED ON MODEL	
UNLESS OTHERWISE SPECIFIED		EC145	
1. BREAK ALL SHARP EDGES			
.015 x 45° PR .015 R			
2. DIMENSIONAL LIMITS APPLY AFTER PLATING			
SCALE	NTS	DATE	9-1-10
SHEET		7 of 7	